



## Elite<sup>®</sup> heat pumps come appointed with:

Precision-balanced, direct drive fan to keep the noise low and the savings high

Reinforced with a PermaGuard™ cabinet for long-lasting protection against rust and corrosion

SmartHinge™ coil protection for easy coil cleaning

Softer lines create an appliance-like appearance

Cabinets built using superior materials and proprietary designs make Lennox<sup>®</sup> units more durable, safer and easier to install

Dual-fuel compatible with Lennox furnaces for added cost savings

	High-Efficiency, Variable-Capacity Heat Pump <b>XP20</b>	Truly variable. Truly versatile. <b>EL18XPV</b>	High-Efficiency, Single-Stage Heat Pump <b>EL16XP1</b>
Energy Efficiency	Up To 20.00 SEER 10.00 HSPF	Up To 18.00 SEER 10.00 HSPF	Up To 16.00 SEER 9.50 HSPF
Stages Of Cooling	Variable-Capacity Inverter Compressor	Variable-Capacity Inverter Compressor	Single-Stage Compressor
ENERGY STAR <sup>®</sup> Certified	Most Efficient 2021	✓	✓
Sound Rating*	As Low As 65 dB	As Low As 73 dB	As Low As 71 dB
Quantum™ Coil		✓	✓
Removes Humidity From The Home	Highest Removal Rate	Highest Removal Rate	High Removal Rate
Digital-Ready Unit		✓	
iComfort <sup>®</sup> -Enabled Option	✓	✓	
10-Year Limited Warranty On Compressor	✓	✓	✓
5-Year Limited Warranty On Covered Components	✓	✓	✓

Contact your local utility company to determine if there are available rebates.

\* Equivalent to the sound of an average vacuum cleaner at 70 dB.

For a full list of product details and warranty information, visit [Lennox.com/terms-and-conditions](https://www.lennox.com/terms-and-conditions).

[www.lennox.com](https://www.lennox.com) 1-800-9-LENNOX

For a complete list of the registered and common law trademarks owned by Lennox Industries Inc., please visit [www.lennox.com](https://www.lennox.com).  
 © 2021 Lennox Industries Inc. 19LN0076 08/21 (20B09)



## Heating Seasonal Performance Factor (HSPF)

A heating efficiency rating for heat pumps. A higher-rated HSPF heat pump will result in less energy use and increased energy savings over the life of the system.

## Seasonal Energy Efficiency Ratio (SEER)

This rating determines a heat pump's efficiency. The higher the SEER rating, the more energy-efficient it is.

## Digital-Ready Unit

A unit that maximizes its efficiency with digital communication features when paired with the iComfort S30 and other iComfort<sup>®</sup>-enabled components. On its own, it's remarkably efficient, compact and quiet—and ready to step up to a fully digital system at any time.

## ENERGY STAR<sup>®</sup> Certified

HVAC equipment with the ENERGY STAR label meets or exceeds federal guidelines for energy-efficient performance.

## 10-Year Limited Warranty on Compressor

All Elite models come with a 10-Year Limited Warranty.

## Dual-Fuel Compatibility

An HVAC system that pairs an electric heat pump with a gas furnace and alternates between the two fuel sources to maximize comfort and efficiency.

## Quantum<sup>™</sup> Coil

Our exclusive coil is made from a proprietary aluminum alloy for improved resistance to corrosion, resulting in improved performance and energy savings.

## iComfort<sup>®</sup>-Enabled Option

An iComfort-enabled product is designed to work with an iComfort smart thermostat as part of an advanced home comfort system. This is a truly digital product that offers unprecedented control, giving you the ability to more precisely maintain temperature, humidity, and air quality compared to older analog systems.

## 5-Year Limited Warranty on Covered Components

Covered components may be eligible to receive a 10-year warranty. Online equipment registration at [lennoxregistration.com](http://lennoxregistration.com) is required within 60 days of installation (except in California and Quebec) or Lennox' base warranty will apply. Applies to residential applications only. See actual warranty certificate for details.

### How does single-stage, two-stage & variable-capacity work?



72°

**Single-Stage**

Unit is either on or off, creating wide temperature swings.



72°

**Two-Stage**

Unit runs at either low or high speed, using the lower speed 80% of the time.



72°

**Variable-Capacity**

Unit runs at low most of the time, using only the amount of energy necessary to meet comfort need.